

Salsbury Industries

ADA Compliant Solid Oak Executive Wood Lockers

The Americans with Disabilities Act (ADA) specifies certain requirements that affect lockers. Single tier, double tier and triple tier lockers will all meet those requirements. To comply, at least 5% of the lockers provided, but no less than one locker, needs to meet the ADA requirements.

Single Tier Lockers

For single tier lockers, the shelf and coat hooks must be lowered to no more than 48" above the floor. An extra shelf also needs to be added to bring the bottom of the locker to no lower than 15" above the floor. Extra shelves can be ordered as options upon request.


Double Tier Lockers

On double tier lockers, an extra shelf needs to be added to bring the bottom of the locker to no lower than 15" above the floor. Only the lower opening may be used for ADA compliance. Extra shelves can be ordered as options upon request.

Triple Tier Lockers


On triple tier lockers, an extra shelf needs to be added to bring the top of the middle locker and bottom of the lower locker to 48" and 15" above the floor respectively. Only the middle and lower openings may be used for ADA compliance. Extra shelves can be ordered as options upon request.

ADA Compliant Single Tier Locker




Front View

ADA Compliant Double Tier Locker



Front View

ADA Compliant Triple Tier Locker



Front View

SALSBUURY INDUSTRIES

1010 East 62nd Street, Los Angeles, CA 90001-1598
 Ph: 1-800-562-5377 Int'l Ph: 323-846-6700
 Fax: 1-800-562-5399 Int'l Fax: 323-846-6800
www.lockers.com engineering@lockers.com